

Table 1- New DSS L4 Requirements

Data reflects RTM baseline of 4/18/97

L4 id	req_key	rel	req_type	req_status	ver_method	ver_status	CCR	clarification	text
S-DSS-00075	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>demo</u>	<u>unverified</u>			The SDSRV CI shall accept and process valid, authenticated Data Insert Requests, from any source, via the Data Insert Request API.

Table 2 - Delete DSS L4 Requirements
Data reflects RTM baseline of 4/18/97

L4 id	req_key	rel	req_type	req_status	ver_method	ver_status	CCR	clarification	text
S-DSS-00670	-3300	A	interface	approved	demo				The SDSRV CI shall be capable of receiving data from the PRONG CI.
S-DSS-00680	-3301	A	interface	approved	demo				The SDSRV CI shall be capable of receiving data from the AITTL CI.
S-DSS-00690	-3302	A	interface	approved	demo				The SDSRV CI shall be capable of receiving data from the PLANG CI.
S-DSS-00692	-3303	B+	interface	approved	demo	unverified	97-0265A		The SDSRV CI shall be capable of receiving data from the DDSRV CI.
S-DSS-00694	-3304	A	interface	approved	demo				The SDSRV CI shall be capable of receiving data from the STMGT CI.
S-DSS-00696	-3305	A	interface	approved	demo				The SDSRV CI shall be capable of receiving data from the DDIST CI.
S-DSS-00700	-3306	A	interface	approved	demo				The SDSRV CI shall be capable of receiving data from FOS.

Table 3 - Add DSS L4 Links to RBR#B
Data reflects RTM baseline of 4/18/97

RBR_id	L4 id
DADS0120#B	S-DSS-00075
DADS1235#B	S-DSS-00075